



City of Pevely Street Department
Concrete Replacement Project 2022 Specification Packet
Bids are due by 1:00 pm on Friday, April 29, 2022

City of Pevely, MO
401 Main Street
Pevely, MO 63070

Introduction and General Information

Thank you for your interest in submitting a bid for the replacement of concrete street replacement slabs on two separate locations in the City of Pevely. This packet is intended to provide you with useful information and specifications of the desired scope of work.

Bids will be received by Andy Hixson, City Administrator, at 401 Main Street, Pevely, MO 63070 until 1:00 am on Friday, April 29, 2022, at which time they will be publicly opened and read. Please note “Concrete Replacement Project Bid” on the sealed, opaque envelope. Bids shall not be withdrawn, modified, or altered after the bid opening.

A Bid Submittal Sheet is included in this packet and must be included in your submitted bid. Other documents and information may be included in your bid, but no other document shall replace the Bid Submittal Sheet.

It is the sole responsibility of the bidder to ensure that the bid is received on or before the submission deadline. Emailed submissions will not be considered. Paper bids need to be submitted either via mail or in person. If mailing your bid, please allow ample time for receipt.

Bids received after the deadline will not be considered. All costs directly or indirectly related to submitting a bid will be borne by the submitter. The City of Pevely is not obligated to accept any submitted bid or negotiate with any persons or firms submitting a bid. The City of Pevely reserves the right to reject any and all bids and to waive informalities and minor irregularities.

Each submitted bid shall be submitted as a single lump sum inclusive of all labor, materials, and other associated fees for completing the work. At no time does the City of Pevely intend to provide additional compensation beyond what is included in the accepted bid.

Location 1 and 2 are both public streets, so they can be seen at any time. However, if you would like to see the street with a City employee, please contact Mr. Ron Ebmeier using either the phone number or email address listed below. **All interested parties are strongly encouraged to visit the streets and take their own measurements prior to submitting a bid.** Any questions regarding this specification packet or the desired scope of services should be submitted to either party listed below.

Contact Information

Andy Hixson, City Administrator

636-475-4452 x103

ahixson@cityofpevely.org

Ron Ebmeier, Street Department Supervisor

636-346-0831

rebmeier@cityofpevely.org

Anticipated Timeline

Advertisement Published:	Thursday, April 21, 2022
Submissions Due:	Thursday, May 12, 2022, by 1:00 pm
Board of Aldermen Award Bid:	Monday, May 16, 2022
Letter of Award Sent to Winning Bidder:	Tuesday, May 17, 2022
Work must be Satisfactorily Complete By:	Monday, Aug 15, 2022

Note: with the exception of the Advertisement Published and Submissions Due dates, all dates are tentative and subject to change.

Scope of Services

The scope of this project includes the removal and replacement of concrete streets including rock subbase and rolled curbs (where applicable) on two separate street locations. Location #1 is Mason Circle North, both lanes, (approximately 13' wide each lane) from entrance at Commercial Boulevard approximately 416' (four hundred sixteen feet) East. This street is required to have MoDOT Style Epoxy Coated Dowel Baskets in plane wire frame at each section joint.

Location #2 is at the south end of Sunridge Trail South, consisting of approximately a seventy-foot (70') diameter cul-de-sac. Both locations are in the City Limits of the City of Pevely and can be viewed at any time. Each location will be marked with paint by City staff to indicate where project begins and ends.

The selected contractor will be expected to comply with and/or complete the tasks listed below. Any proposed deviations from the items listed below should be clearly marked in the submission.

1. The selected contractor shall furnish all labor, materials, services, and equipment necessary to remove the existing concrete and rock subbase and replace them with new concrete, dowel baskets (where required) and a new rock subbase (as necessary).
2. Contractor is responsible for furnishing all traffic control including signage.
3. The scope of this project includes replacement of approximately fourteen thousand three hundred (14,300) square feet.
4. The selected contractor will be expected to completely remove and dispose of the old concrete slabs and debris. The rock subbase that currently exists beneath the damaged concrete slabs can be reused so long as it is of high quality and as approved by the City.
5. The selected contractor will be expected to replace the curb where applicable.

6. All parts of the finished concrete surface shall drain rainwater runoff to storm sewer inlets as originally designed. Any ponding or puddling will not be accepted.
7. The new concrete slabs shall be seven (7) inches thick.
8. The new rock subbase shall be inch or inch-minus rock compacted to four (4) inches thick.

All bidders prior to bidding are strongly encouraged to visit the project site prior to submitting a bid to gain a full understanding of the scope of the project.

The City intends to enter a formal contract with the selected contractor. Details of the final scope of service will be negotiated and discussed with the selected contractor before any work will be allowed to begin.

Description of Project Location

The scope of this project includes the removal and replacement of concrete street slabs and the rock subbase beneath the slabs in two separate locations. Location #1 is on Mason Circle North located in an industrial park off Missouri Route 61/67 (Commercial Boulevard) approximately one half (1/2) mile north of Route Z. Location #2 is the end cul-de-sac on Sunridge Trail South in Blackberry Hills subdivision, south of east third street.

Missouri Prevailing Wage Law

Pursuant to Section 290.230 of the Revised Statutes of Missouri, public works projects valued \$75,000 or less are not subject to the Missouri Prevailing Wage Law.

Concrete slab replacement projects are considered public works projects, but the anticipated total cost of this project is less than \$75,000. However, if the awarded bid equals or exceeds \$75,000, or if the actual final cost of the project equals or exceeds \$75,000, the selected contractor will be required to abide by all requirements of the Missouri Prevailing Wage Law.

Liability and Workers' Compensation Insurance

The selected contractor shall furnish general liability and property damage insurance with coverage to name and protect the City of Pevely and the selected contractor from all claims for damages for personal injury, including accidental death, as well as claims for property damages, which may arise from the work performed under the agreement, whether such claim be a result of actions by the selected contractor or any subcontractor performing work under the agreement. The insurance policy shall not be less than \$500,000 personal injury per occurrence and not less than \$500,000 aggregate property damage.

The selected contractor shall be required to provide proof of workers' compensation insurance and maintain said insurance during the performance of the work prescribed in the agreement. The selected contractor shall be further required to provide proof of workers' compensation insurance for all sub-contractors performing work under the agreement.

Contractor Guarantee

All work on this project shall be guaranteed to be free from defects in workmanship and materials for a period of one (1) year from date of completion of the entire project. This is not a maintenance guarantee.

The selected contractor shall repair and replace any defective areas within ten (10) days after receiving notice of defect. Should repair work not be done by the selected contractor, the City will make necessary repairs and charge the selected contractor.

Final Inspection, Final Payment, and Remediation of Damages

When the work performed under the agreement has been fully completed in accordance with the specifications provided, a final inspection will be made by a representative of the City and any defects arising out of said inspection will be remedied by the selected contractor.


A lump sum final payment of the bid amount will be paid to the selected contractor after final inspection and acceptance of the work. Acceptance of such payment by the selected contractor shall release the City from all claims of any liabilities of the selected contractor under this agreement, except that the selected contractor shall not be released from liability for defects resulting from unacceptable workmanship or failure to follow specifications, where said defects are not readily ascertainable by the City upon final inspections.

In the event the City is required to file suit for damages as a result of breach of contract by the selected contractor, then the City shall be entitled to collect reasonable attorney fees, costs of litigation and Court costs from the selected contractor.

Location 1 Mason Circle North



Location 2: Sunridge Trail South



BID SUBMITTAL SHEET
Concrete Street Slab and Subbase Replacement

Name of Submitter: _____

Name of Firm: _____

Address: _____ City/State/Zip: _____

Telephone: _____ Email Address: _____

The submitter acknowledges that the submitted lump sum bid includes all labor, materials, and other associated costs for installing asphalt overlay at the City of Pevely's primary wastewater treatment facility and all other related activities as described within the Scope of Services.

The submitter further acknowledges that the City of Pevely reserves the right to reject any and all bids and to waive informalities and minor irregularities. By submitting this bid, the submitter acknowledges that he/she has the authority to submit bids on behalf of his/her firm.

Submitted Lump Sum Total: \$ _____

Unit price per square yard for any additional concrete and subbase replacement: \$ _____

Submitted to the City of Pevely on this _____ day of _____, 2022.

Printed Name: _____

Signature: _____